

2012 Bacteriological Summary

Location Class: R9M WESTSHORE. DISTRIBUTION SYSTEM

Location Class	Month	Bacterial Water Samples Collected	Total Coliforms				E.coli Samples > 0 CFU/100mL	Fecal Coliforms Samples FC > 0 CFU/100mL	Turbidity		Chlorine Residual Monthly Median mg/L as Cl2	Water Temperature Monthly Median Degrees C.
			Samples TC > 0 CFU/100mL	TC > 0 Percent	Resamples TC > 0 CFU/100mL	Samples TC > 10 CFU/100mL			Samples Adverse > 1 NTU			
WESTSHORE. DISTRIBUTION SYSTEM R9M	JAN	36	0	.0%	0	0	0	5	0	.84	6.6	
	FEB	43	0	.0%	0	0	0	6	0	.90	6.8	
	MAR	38	0	.0%	0	0	0	5	0	.81	7.1	
	APR	38	0	.0%	0	0	0	5	0	.67	9.1	
	Totals	155	0	.0%	0	0	0	21	0	.81	7.2	

NOTES: > = Greater than, TC = Total Coliforms, FC = Fecal Coliforms, TCBK = Background colonies on a Total Coliform membrane filter, CFU = Colony Forming Units

COMMENTS: