

2011 Bacteriological Summary

Location Class: SMN SUPPLY MAINS

Location Class	Month	Bacterial Water Samples Collected	Total Coliforms				E.coli Samples > 0 CFU/100mL	Fecal Coliforms Samples FC > 0 CFU/100mL	Turbidity		Chlorine Residual Monthly Median mg/L as Cl2	Water Temperature Monthly Median Degrees C.
			Samples TC > 0 CFU/100mL	TC > 0 Percent	Resamples TC > 0 CFU/100mL	Samples TC > 10 CFU/100mL			Samples Collected	Adverse > 1 NTU		
SUPPLY MAINS	JAN	35	0	.0%	0	0	0	7	0	1.19	5.7	
SMN	FEB	32	1	3.1%	0	0	0	5	0	1.08	6.0	
	MAR	38	1	2.6%	0	0	0	8	2	1.03	5.9	
	APR	32	0	.0%	0	0	0	6	0	1.01	7.2	
	MAY	39	1	2.6%	0	0	0	9	1	.93	9.2	
	JUN	37	0	.0%	0	0	0	6	0	1.25	11.6	
	JUL	33	0	.0%	0	0	0	7	0	1.16	14.0	
	AUG	41	0	.0%	0	0	0	7	1	1.08	17.3	
	SEP	29	0	.0%	0	0	0	7	0	1.10	18.1	
	OCT	32	0	.0%	0	0	0	7	1	1.02	15.0	
	NOV	42	1	2.4%	0	0	0	6	0	1.49	9.8	
	DEC	33	0	.0%	0	0	0	11	3	1.44	6.7	
	Totals	423	4	.9%	0	0	0	86	8	1.12	9.4	

NOTES: > = Greater than, TC = Total Coliforms, FC = Fecal Coliforms, TCBK = Background colonies on a Total Coliform membrane filter, CFU = Colony Forming Units

COMMENTS: