

APPENDIX D

2007 PUBLIC HEALTH CONCERN RATINGS

**Public Health Concern Ratings
District of Sooke - 2007**

Jurisdiction at Point of Discharge to the Shoreline	CRD Outlet No	Figure No	Fecal Coliform Concentrations (rating)	Public Use of Shoreline (rating)	Sum of Ratings	2007 Level of Concern *	2006 Level of Concern *	Recommendations and Comments (FC = Fecal coliform)
District of Sooke	2000	3	1	2	3	low	not visited	low FC count in winter, dry in summer, new discharge continue surveillance to confirm rating
District of Sooke	2001	3	1	2	3	low	not visited	low FC counts in winter, no flow in summer, no action required
District of Sooke	2001C	3	1	2	3	low	low	Grouse Brook, low FC count in winter, no flow in summer, significant watercourse, therefore, continue surveillance
District of Sooke	2001D	3	1	2	3	low	moderate	low FC count in winter, no flow in summer, continue surveillance to confirm rating
District of Sooke	2001E	3	3	2	5	high	low	high FC count in winter, no flow in summer, continue surveillance to confirm rating
District of Sooke	2027	4	1	2	3	low	low	Wildwood (Matheson) Creek, low FC count in winter, no flow in summer, significant watercourse, therefore, continue surveillance
District of Sooke	2028	4	1	2	3	low	low	low FC count in winter, no flows in summer, no action required
District of Sooke	2029	5	1	2	3	low	moderate	Gillespie Creek, low FC count, no flow in summer, continue surveillance to confirm rating
District of Sooke	2030	6	1	1	2	low	low	Veitch Creek, low FC counts, significant watercourse, therefore, continue surveillance
District of Sooke	2030A	6	1	1	2	low	not visited	low FC count in winter, no flows in summer, no action required
District of Sooke	2030AA	6	1	1	2	low	not visited	no flows, no action required
District of Sooke	2030AB	6	1	1	2	low	not visited	low FC, new discharge continue surveillance to confirm rating
District of Sooke	2031	6	1	2	3	low	not visited	low FC count in winter, no flows in summer, no action required
District of Sooke	2031A	6	1	2	3	low	not visited	low FC count in winter, no flows in summer, no action required
District of Sooke	2035	7	2	2	4	moderate	low	slightly elevated FC count in winter, no flow in summer, continue surveillance to confirm rating
District of Sooke	2035A	7	1	2	3	low	low	low FC counts, no action required
District of Sooke	2036	7	1	1	2	low	low	Ayum Creek, low FC counts, significant watercourse, therefore, continue surveillance

* Level of Concern: Low - 2 or 3 no action required, discontinue surveillance; Moderate - 4 continue surveillance; High - 5 or 6 mitigation required, continue surveillance

** Discharge acts as emergency overflow for the sanitary sewer and has low fecal coliform counts, therefore the rating is moderate and continued surveillance is recommended.

*** Discharge acts as emergency overflow for the sanitary sewer and has elevated fecal coliform counts; therefore the level of concern is moderate or high and surveillance is recommended.

**Public Health Concern Ratings
District of Sooke - 2007**

Jurisdiction at Point of Discharge to the Shoreline	CRD Outlet No	Figure No	Fecal Coliform Concentrations (rating)	Public Use of Shoreline (rating)	Sum of Ratings	2007 Level of Concern *	2006 Level of Concern *	Recommendations and Comments (FC = Fecal coliform)
District of Sooke	2038	9	2	1	3	low	low	elevated FC count in winter, no flow in summer, continue surveillance
District of Sooke	2039	10	2	2	4	moderate	low	Sasseenos (Lannon) Creek, low FC counts in winter, elevated in summer, significant watercourse, continue surveillance
District of Sooke	2040	10	1	1	2	low	low	no flows, no action required
District of Sooke	2041A	11	1	1	2	low	low	no flows, no action required
District of Sooke	2042	11	1	1	2	low	low	no flows, no action required
District of Sooke	2042A	11	3	2	5	high	low	Alderbrook Creek, low FC count in winter, high in summer, resampling of creek in October showed low FC counts, however, counts have been high in past, significant watercourse, continue surveillance, mitigation required
District of Sooke	2043	12	1	2	3	low	low	Sooke River, low FC counts, significant watercourse, therefore, continue surveillance
District of Sooke	2046	12	1	1	2	low	low	Throupe Stream, low FC counts, significant watercourse, therefore, continue surveillance
District of Sooke	2047	13	1	1	2	low	low	low FC counts, continue surveillance to confirm rating
District of Sooke	2047A	13	1	1	2	low	low	low FC count in winter, no flows in summer, no action required
District of Sooke	2048	13	1	1	2	low	low	low FC count in winter, no flows in summer, no action required
District of Sooke	2049	13	1	1	2	low	low	no flows, continue surveillance to confirm rating
District of Sooke	2049A	13	2	1	3	low	low	elevated FC count in winter, no flows in summer, continue surveillance
District of Sooke	2049AA	13	1	1	2	low	low	low FC count in winter, no flows in summer, continue surveillance to confirm rating
District of Sooke	2049AB	13	1	1	2	low	low	no flows, no action required
District of Sooke	2050	13	1	1	2	low	low	low FC count in winter, no flow in summer, no action required
District of Sooke	2050A	13	1	1	2	low	low	low FC count in winter, no flows in summer, no action required
District of Sooke	2050B	13	1	1	2	low	low	no flows, no action required

* Level of Concern: Low - 2 or 3 no action required, discontinue surveillance; Moderate - 4 continue surveillance; High - 5 or 6 mitigation required, continue surveillance

** Discharge acts as emergency overflow for the sanitary sewer and has low fecal coliform counts, therefore the rating is moderate and continued surveillance is recommended.

*** Discharge acts as emergency overflow for the sanitary sewer and has elevated fecal coliform counts; therefore the level of concern is moderate or high and surveillance is recommended.

**Public Health Concern Ratings
District of Sooke - 2007**

Jurisdiction at Point of Discharge to the Shoreline	CRD Outlet No	Figure No	Fecal Coliform Concentrations (rating)	Public Use of Shoreline (rating)	Sum of Ratings	2007 Level of Concern *	2006 Level of Concern *	Recommendations and Comments (FC = Fecal coliform)
District of Sooke	2051	13	3	1	4	moderate	low	high FC counts, however low public use, continue surveillance
District of Sooke	2051A	13	1	1	2	low	low	no flows, no action required
District of Sooke	2052	13	1	1	2	low	low	no flows, no action required
District of Sooke	2052A	13	1	1	2	low	low	low FC count in winter, no flow in summer, no action required
District of Sooke	2053	13	2	1	3	low	moderate	elevated FC count in summer, low in winter, continue surveillance to confirm rating
District of Sooke	2054	14	2	1	3	low	low	elevated FC counts in summer, low in winter, continue surveillance
District of Sooke	2055	14	2	2	4	moderate	low	elevated FC count in winter, no flows in summer, continue surveillance
District of Sooke	2056	14	1	2	3	low	low	low FC count in winter, no flows in summer, no action required
District of Sooke	2056A	14	1	2	3	low	low	no flows, no action required
District of Sooke	2057	14	1	1	2	low	low	low FC counts, no action required
District of Sooke	2058	14	1	1	2	low	low	low FC count in winter, no flows in summer, no action required
District of Sooke	2058A	14	1	2	3	low	low	low FC count in winter, no flows in summer, no action required
District of Sooke	2059	14	2	2	4	moderate	moderate	slightly elevated FC count in winter, no flows in summer, continue surveillance
District of Sooke	2059A	14	1	2	3	low	low	low FC counts, no action required
District of Sooke	2060	14	1	2	3	low	low	low FC count in winter, no flows in summer, no action required
District of Sooke	2060A	14	1	2	3	low	low	low FC count in winter, no flow in summer, no action required
District of Sooke	2061	14	1	1	2	low	low	low FC count in winter, no flows in summer, no action required
District of Sooke	2062	14	2	2	4	moderate	low	elevated FC count in winter, no flows in summer, continue surveillance
District of Sooke	2063	14	1	1	2	low	low	low FC count in winter, no flows in summer, continue surveillance to confirm rating
District of Sooke	2064	15	1	1	2	low	moderate	Wright Road Creek, low FC counts in winter, no flow in summer, high flow creek, continue surveillance

* Level of Concern: Low - 2 or 3 no action required, discontinue surveillance; Moderate - 4 continue surveillance; High - 5 or 6 mitigation required, continue surveillance

** Discharge acts as emergency overflow for the sanitary sewer and has low fecal coliform counts, therefore the rating is moderate and continued surveillance is recommended.

*** Discharge acts as emergency overflow for the sanitary sewer and has elevated fecal coliform counts; therefore the level of concern is moderate or high and surveillance is recommended.

**Public Health Concern Ratings
District of Sooke - 2007**

Jurisdiction at Point of Discharge to the Shoreline	CRD Outlet No	Figure No	Fecal Coliform Concentrations (rating)	Public Use of Shoreline (rating)	Sum of Ratings	2007 Level of Concern *	2006 Level of Concern *	Recommendations and Comments (FC = Fecal coliform)
District of Sooke	2065	15	1	1	2	low	low	low FC count in winter, no flows in summer, continue surveillance to confirm rating
District of Sooke	2065A	15	1	1	2	low	low	no flows, no action required
District of Sooke	2066	15	2	1	3	low	low	low FC count in winter, slightly elevated in summer, no action required
District of Sooke	2067	15	1	1	2	low	low	low FC count in winter, no flows in summer, no action required
District of Sooke	2067A	15	1	1	2	low	low	low FC count in winter, no flows in summer, continue surveillance to confirm rating
District of Sooke	2068	15	1	1	2	low	low	low FC count in winter, no flows in summer, no action required
District of Sooke	2069	15	1	1	2	low	low	low FC count in winter, no flows in summer, no action required
District of Sooke	2070	15	1	1	2	low	low	no flows, no action required
District of Sooke	2071	15	2	1	3	low	moderate	low FC count in winter, slightly elevated in summer, continue surveillance to confirm rating
District of Sooke	2072	15	1	2	3	low	low	no flows, no action required
District of Sooke	2072A	15	1	2	3	low	not visited	low FC in winter, dry in summer, new discharge continue surveillance to confirm rating
District of Sooke	2073	15	1	2	3	low	low	no flows, no action required
District of Sooke	2074	15	1	2	3	low	low	low FC count in winter, no flows in summer, no action required
District of Sooke	2075	15	1	2	3	low	low	no flows, no action required
District of Sooke	2081A	17	1	2	3	low	low	low FC count in winter, no flow in summer, continue surveillance
District of Sooke	2081B	17	2	2	4	moderate	low	low FC count in winter, slightly elevated in summer, continue surveillance
District of Sooke	2082	17	1	1	2	low	low	low FC count in winter, no flow in summer, no action required
District of Sooke	2084	17	1	1	2	low	low	no flows, no action required
District of Sooke	2085	17	1	1	2	low	low	low FC counts, continue surveillance to confirm rating

* Level of Concern: Low - 2 or 3 no action required, discontinue surveillance; Moderate - 4 continue surveillance; High - 5 or 6 mitigation required, continue surveillance

** Discharge acts as emergency overflow for the sanitary sewer and has low fecal coliform counts, therefore the rating is moderate and continued surveillance is recommended.

*** Discharge acts as emergency overflow for the sanitary sewer and has elevated fecal coliform counts; therefore the level of concern is moderate or high and surveillance is recommended.

**Public Health Concern Ratings
District of Sooke - 2007**

Jurisdiction at Point of Discharge to the Shoreline	CRD Outlet No	Figure No	Fecal Coliform Concentrations (rating)	Public Use of Shoreline (rating)	Sum of Ratings	2007 Level of Concern *	2006 Level of Concern *	Recommendations and Comments (FC = Fecal coliform)
District of Sooke	2096	18	1	1	2	low	not visited	low FC count in winter, no flow in summer, no action required
District of Sooke	2099	18	2	1	3	low	low	elevated FC count in winter, no flows in summer, continue surveillance
District of Sooke	2100	18	1	1	2	low	low	Nott Brook, low FC count in winter, no flow in summer, significant watercourse, therefore, continue surveillance
District of Sooke	2101	19	1	1	2	low	low	Ella Stream, low FC count in winter, no flow in summer, significant watercourse, therefore, continue surveillance
District of Sooke	2102	19	1	1	2	low	low	Broom Hill Stream, low FC count in winter, no flow in summer, significant watercourse, therefore, continue surveillance
District of Sooke	2103	19	1	1	2	low	low	Kemp Stream, low FC count in winter, no flow in summer, significant watercourse, therefore, continue surveillance

* Level of Concern: Low - 2 or 3 no action required, discontinue surveillance; Moderate - 4 continue surveillance; High - 5 or 6 mitigation required, continue surveillance

** Discharge acts as emergency overflow for the sanitary sewer and has low fecal coliform counts, therefore the rating is moderate and continued surveillance is recommended.

*** Discharge acts as emergency overflow for the sanitary sewer and has elevated fecal coliform counts; therefore the level of concern is moderate or high and surveillance is recommended.